

## DAFTAR PUSTAKA

- HM. Jogyanto, *Analisis Dan Desain Sistem Informasi Pendekatan Terstruktur Teori Dan Praktik Aplikasi Bisnis*, Penerbit Andi, Yogyakarta, 2005
- Kristanto. Andri, *Perancangan Sistem Informasi Dan Aplikasinya*, Penerbit Gama Media
- Mulyana, Y.B. 2004. *Trik Membangun Situs Menggunakan PHP dan MySQL* : Elex Media Komputindo.
- Nugroho. Bunafit, *PHP & MySQL dengan Editor Dreamweaver MX*, Penerbit Andi, Yogyakarta, 2004
- Nugroho. Adi, *Analisis Dan Perancangan Sistem Informasi Dengan Metodologi Berorientasi Objek*, Penerbit Informatika, Bandung. 2002
- Sidik, Betha. 2005. *MySQL*. Bandung: Penerbit INFORMATIKA.
- Sutabri. Tata, *Analisis Sistem Informasi*. Penerbit Andi, Yogyakarta, 2004
- Suyanto. M., *Analisis & Desain Aplikasi Multimedia Untuk Pemasaran*, Penerbit Andi Offset, Yogyakarta, 2004
- Syafrizal, Melwin. 2005. *Pengantar Jaringan Komputer*. Yogyakarta: Andi Offset.

### Halaman Login

```
<div id="content">
  <form method="post" action="cek_login.php">
    Username<br />
    <input name="username" type="text"><br />
    Password<br />
    <input name="pass" type="password"><br />
    <p><input type="submit" class="btn" value="Log
    In"/></p>
  </form>
</div>
```

### Source Code Halaman Administrator

### Control Panel :

```
<?php
session_start();
include '../config/inc.session.php';
include '../config/koneksi.php';
include "../config/library.php";
include "../config/fungsi_indotgl.php";
//include "../config/fungsi_combobox.php";
?>

<html>
<head>
<title>Raport Online</title>
<link href="style.css" rel="stylesheet" type="text/css"
/>
</head>
<body>
<div id="header">
    <div id="menu">
        <ul>
<li><a href=media.php>&#187; Home</a></li>
<li><a href="?data=siswa">&#187; SISWA</a></li>
<li><a href="?data=guru">&#187; GURU</a></li>
<li><a href="?data=kelas">&#187; KELAS</a></li>
<li><a href="?data=mapel">&#187; MATA
PELAJARAN</a></li>
<li><a href="?data=ortu">&#187; ORANG TUA</a></li>
<li><a href="?data=users">&#187; USER</a></li>
<li><a href="?data=semester">&#187; SEMESTER</a></li>
<li><a href="logout.php">LOGOUT</a></li>
        </ul>
    </div>
    <div id="content">
        <?php
            $data = $ GET['data'];
            if(empty($data) || $data=="") {
                $data="main"; }
            if(file_exists($data.".php")) {
                include $data.".php";
            }
            else {
                include "main.php";
            }
        ?>
    </div>
```

```
<div id="footer">Copyright ©copy; 2011 by Sao Pedro.  
All rights reserved.</div>  
</div>  
</body>  
</html>
```

### Source Code Halaman Admin Siswa

```
<h2>Daftar Siswa</h2>  
<table width="100%" border="0" cellspacing="0"  
cellpadding="0">  
  <tr>  
    <th>No</th><th>NIS</th><th>Jenis  
Kelamin</th><th>Nama</th><th>Aksi</th>  
  </tr>  
  <?php include './config/koneksi.php';  
  $qry = mysql_query ("select * from siswa");  
  while ($h = mysql_fetch_array($qry)) {  
    $no++;  
  ?>  
  <tr>  
    <td><?=$no?></td><td><?=$h[nis]?></td><td><?=$h[jenis_kelami  
n]?></td><td><?=$h[nama]?></td>  
    <td align="center"><a  
href="?data-siswaeditfm&id=<?=$h[nis]?>">Edit </a> |  
    <a  
href="?data-siswahapus&idhapus=<?=$h[nis]?>">Hapus</a></td>  
  </tr>  
  <?php } ?>  
  <tr>
```

```
<td colspan="4">&nbsp;</td>

<td align="center"><a
href="?data-siswafm">Tambah</a></td>

</tr>

</table>
```

#### Source Code Halaman Admin Guru:

```
<h2>Guru</h2>

<table width="100%" border="0" cellspacing="0"
cellpadding="0">

<tr>

<th>No</th><th>NIP</th><th>Mata Pelajaran</th><th>Nama
Guru</th><th>Alamat</th><th>Aksi</th>

</tr>

<?php

$sql = "select * from guru,matapelajaran where
guru.kd_matpel=matapelajaran.kd_matpel";

$query = mysql_query($sql, $koneksi) or die ("Gagal query");

while ($row = mysql_fetch_object($query)) {

    $no++;

    echo "<tr>

        <td>{$no}</td><td>{$row->nip}</td><td>{$row-
>nama_matpel}</td>

        <td>{$row->nama}</td><td>{$row->alamat}</td>

        <td align=center><a href='?data-gurueditfm&idubah={$row-
>nip}'>Update</a> |

        <a href='?data-guruhapus&idhapus={$row-
>nip}'>Hapus</a></td>

    </tr>";
```

```
} ?>  
<tr>  
  <td colspan="5">&nbsp;</td>  
  <td align="center"><a  
href="?data-gurufm">Tambah</a></td>  
</tr>  
</table>
```

#### Source Code Halaman Admin Kelas :

```
<h2>Kelas</h2>  
<table width="100%">  
  <tr>  
    <th>No</th><th>Nama Kelas</th><th>Wali  
Kelas</th><th>Semester</th><th>Tahun</th><th>Aksi</th>  
  </tr>  
  <?php  
  include "../config/koneksi.php";  
  
  $qry = mysql_query('select * from kelas,guru,semester  
where kelas.nip=guru.nip and  
semester.kd_semester=kelas.kd_semester');  
  
  while ($row = mysql_fetch_object($qry)) {  
  
  $no++;  
  
  echo "<tr>  
  <td>{$no}</td><td>{$row->nama_kelas}</td><td>{$row->  
nama}</td><td>{$row->nm_semester}</td><td>{$row->  
>tahun}</td>
```

```
        <td align=center><a  
href='?data=kelaseditfm&idubah={ $row->kd_kelas } '>Update</a>  
|  
        <a href='?data=kelashapus&idhapus={ $row->  
>kd_kelas } '>Hapus</a></td>  
    </tr>";  
  
    } ?>  
<tr>  
    <td colspan="6">&nbsp;</td>  
    <td align="center"><a  
href="?data=kelasfm">Tambah</a></td>  
</tr>  
</table>
```

**Source Code Halaman Admin Mata Pelajaran :**

```
<h2>Mata Pelajaran</h2>  
<table width="100%" border="0" cellspacing="0"  
cellpadding="0">  
    <tr>  
        <th>No</th><th>Kode Mata Pelajaran</th><th>Nama Mata  
Pelajaran</th><th>Aksi</th>  
    </tr>  
<?php  
include '../config/koneksi.php';  
$qry = mysql_query('select * from matapelajaran');  
while ($row = mysql_fetch_object($qry)) {  
    $no++;
```

```
echo "<tr>
    <td>{$sno}</td><td>{$row->kd_matpel}</td><td>{$row-
>nama_matpel}</td>
    <td align=center><a
href='?data=mapeditfm&idubah={$row->kd_matpel}'>Update</a>
|
    <a href='?data=mapelhapus&idhapus={$row-
>kd_matpel}'>Hapus</a></td>
</tr>";
} ?>
<tr>
    <td colspan="3">&nbsp;&nbsp;&nbsp;</td>
    <td align="center"><a
href="?data=mapelfm">Tambah</a></td>
</tr>
</table>
```

**Source Code Halaman Admin Orang Tua :**

```
<h2>Orang Tua Siswa</h2>
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
    <tr>
        <th>No</th><th>Nama Ayah</th><th>Nama Ibu
</th><th>Telp</th><th>Aksi</th>
    </tr>
    <?php
    include "../config/koneksi.php";
    $qry = mysql_query('select * from ortu');
    while ($row = mysql_fetch_object($qry)) {
    $sno++;
    echo "<tr>
```

```
        <td>{$no}</td><td>{$row->nmayah}</td><td>{$row-  
>nmibu}</td><td>{$row->tlpnortu}</td>  
        <td align=center><a  
href='?data=ortueditfm&idubah={$row-  
>id_ortu}'>Update</a> |  
        <a href='?data=ortuhapus&idhapus={$row-  
>id_ortu}'>Hapus</a></td>  
    </tr>";  
    } ?>  
    <tr>  
        <td colspan="4">&nbsp;</td>  
        <td align="center"><a  
href="?data=ortufm">Tambah</a></td>  
    </tr>  
</table>
```

#### Source Code Halaman Admin Semester :

```
<h2>Semester</h2>  
<table width="100%">  
    <tr>  
        <th>No</th><th>Kode Semester</th><th>Nama  
Semester</th><th>Aksi</th>  
    </tr>  
    <?php  
    include '../config/koneksi.php';  
    $qry = mysql_query('select * from semester');  
    while ($row = mysql_fetch_object($qry)) {  
    $no++;  
  
    echo "<tr>  
        <td>{$no}</td><td>{$row->kd_semester}</td><td>{$row-  
>nm_semester}</td>  
        <td align=center><a  
href='?data=semestereditfm&idubah={$row-  
>kd_semester}'>Update</a> |
```



```
        <a href='?data=semesterhapus&idhapus={$row-  
>kd_semester}'>Hapus</a></td>  
    </tr>";  
} ?>  
<tr>  
    <td colspan="3">&nbsp;</td>  
    <td align="center"><a  
href="?data=semesterfm">Tambah</a></td>  
</tr>  
</table>
```

**Source Code Halaman Admin User :**

```
<h2>User</h2>  
<table width="100%" border="0" cellspacing="0"  
cellpadding="0">  
    <tr>  
        <th>username</th><th>Nama  
Lengkap</th><th>email</th><th>No  
Telephon</th><th>Level</th><th>Aksi</th>  
    </tr>  
<?php  
$qry = mysql_query('select * from users');  
while ($row = mysql_fetch_object($qry)) {  
    $no++;  
  
    echo "<tr>  
        <td>{$row->username}</td><td>{$row-  
>nama_lengkap}</td><td>{$row->email}</td>
```

```
<td>{$row->no_telp}</td><td>{$row->level}</td>

<td align-center><a href='?data-usereditfm&idubah-{$row-
>username}'>Update</a> |

<a href='?data-userhapus&idhapus-{$row-
>username}'>Hapus</a></td>

</tr>";
} ?>

<tr>

<td colspan="5">&nbsp;</td>

<td align="center"><a
href="?data-userfm">Tambah</a></td>

</tr>
</table>
```

**Source Code Halaman Utama Siswa :**

```
<link href="style.css" rel="stylesheet"
type="text/css">
<title>Raport Online</title><div id="wrapper">
<div id="header"></div>
<div id="menu">
<div id="menunav">
<ul>
<li><a
href="index.php">Home</a></li>
<li><a href="?p=sekilas">About Us
</a>
<li><a href="guru.php">Wali
Kelas</a>
<li><a href="ortu.php">Orang
Tua</a>
</ul>
</div>
</div>
<div id="content">
<div id="left">
```

```
<div id="nav">Login Siswa </div>
<div id="pages"> <p><?php include
'siswa_login.php'; ?></p></div>

<div id="nav">Kalender</div>
<div id="pages">
<div id="clock">
<object classid="clsid:D27CDB6E-
AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/
cabs/flash/swflash.cab#version=7,0,19,0" width="185"
height="190" align="bottom">
<param name="movie"
value="clockcalendar.swf">
<param name="quality"
value="high"><param name="BGCOLOR" value="#FEFDFD">
<embed src="clockcalendar.swf"
width="185" height="190" align="bottom" quality="high"
pluginspage="http://www.macromedia.com/go/getflashplaye
r" type="application/x-shockwave-flash"
bgcolor="#FEFDFD"></embed>
</object>
</div>
</div>

<div id="nav">Support Online </div>
<div id="pages">
<a href="ymsgr:sendIM?l_inkdp"> </a><br />
<a href="ymsgr:sendIM?a435dls">
</a>

</div>
</div>
<div id="right">
<div id="nav">Raport Online </div>
<div id="pages">
<?php
$sp = $_GET['p'];
if(empty($sp) || $sp=="") {
$sp="guruview"; }
if(file_exists($sp.".php")) {
```

```
include $p.".php";  
}  
else {  
    include "guruview.php";  
}  
?  
</div>  
</div>  
</div>  
<div id="clearer"></div>  
<div id="footer">Copyright &copy; 2011 Raport  
Online</div>  
</div>
```

#### Source Code Halaman Utama Wali Kelas :

```
<link href="style.css" rel="stylesheet"  
type="text/css">  
<title>Raport Online</title><div id="wrapper">  
    <div id="header"></div>  
    <div id="menu">  
        <div id="menunav">  
            <ul>  
                <li><a  
href="index.php">Home</a></li>  
                <li><a href="?p=sekilas">About Us  
</a>  
                <li><a href="guru.php">Wali  
Kelas</a>  
                <li><a href="ortu.php">Orang  
Tua</a>  
            </ul>  
        </div>  
    </div>  
</div>  
<div id="content">  
    <div id="left">  
        <div id="nav">Login Wali Kelas</div>  
        <div id="pages"> <p><?php include  
'siswa_login.php'; ?></p></div>  
  
        <div id="nav">Kalender</div>  
        <div id="pages">  
        <div id="clock">
```

```

        <object classid="clsid:D27CDB6E-
AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/
cabs/flash/swflash.cab#version=7,0,19,0" width="185"
height="190" align="bottom">
    <param name="movie"
value="clockcalendar.swf">
    <param name="quality"
value="high"><param name="BGCOLOR" value="#FEFDFD">
    <embed src="clockcalendar.swf"
width="185" height="190" align="bottom" quality="high"
pluginspage="http://www.macromedia.com/go/getflashplaye
r" type="application/x-shockwave-flash"
bgcolor="#FEFDFD"></embed>
    </object>
</div>
</div>
    <div id="nav">Support Online </div>
    <div id="pages">
    <a href="ymsgr:sendIM?l_inkdp"> </a><br /><br />
    <a href="ymsgr:sendIM?a435dls">
</a>
    </div>
</div>
    <div id="right">
    <div id="nav">Raport Online </div>
    <div id="pages">
    <?php
        $p = $_GET['p'];
        if(empty($p) || $p=="") {
            $p="guruview"; }

        if(file_exists($p.".php")) {
            include $p.".php";
        }
        else {
            include "guruview.php";
        }
    }
    </div>
</div>
```

```
</div>  
<div id="clearer"></div>  
<div id="footer">Copyright &copy; 2011 Raport  
Online</div>  
</div>
```

#### Source Code Halaman Utama Orang Tua :

```
<link href="style.css" rel="stylesheet"  
type="text/css">  
<title>Raport Online</title><div id="wrapper">  
  <div id="header"></div>  
  <div id="menu">  
    <div id="menunav">  
      <ul>  
        <li><a  
href="index.php">Home</a></li>  
        <li><a href="?p=sekilas">About  
Us </a>  
        <li><a href="guru.php">Wali  
Kelas</a>  
        <li><a href="ortu.php">Orang  
Tua</a>  
      </ul>  
    </div>  
  </div>  
  <div id="content">  
    <div id="left">  
      <div id="nav">Login Orang Tua </div>  
      <div id="pages"> <p><?php include  
'siswa_login.php'; ?></p></div>  
      <div id="nav">Kalender</div>  
      <div id="pages">  
      <div id="clock">  
        <object classid="clsid:D27CDB6E-  
AE6D-11cf-96B8-444553540000"  
codebase="http://download.macromedia.com/pub/shockwave/  
cabs/flash/swflash.cab#version=7,0,19,0" width="185"  
height="190" align="bottom">  
          <param name="movie"  
value="clockcalendar.swf">  
          <param name="quality"  
value="high"><param name="BGCOLOR" value="#FEFDFD">
```

```
        <embed src="clockcalendar.swf"
width="185" height="190" align="bottom" quality="high"
pluginspage="http://www.macromedia.com/go/getflashplaye
r" type="application/x-shockwave-flash"
bgcolor="#FEFDFD"></embed>
    </object>
```

```
</div>
</div>
```

```
    <div id="nav">Support Online </div>
    <div id="pages">
        <a href="ymsgr:sendIM?l_inkdp"> </a><br /><br
/>
        <a href="ymsgr:sendIM?a435dls">
</a>
```

```
    </div>
</div>
```

```
    <div id="right">
        <div id="nav">Raport Online </div>
        <div id="pages">
            <?php
                $p = $_GET['p'];
                if(empty($p) || $p=="") {
                    $p="guruviev"; }
                if(file_exists($p.".php")) {
                    include $p.".php";
                }
                else {
                    include "guruviev.php";
                }
            ?>
```

```
        </div>
    </div>
</div>
<div id="clearer"></div>
<div id="footer">Copyright &copy; 2011 Raport
Online</div>
</div>
```